



## New Codes with notes: WHO updates to ICD-10 2013

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
<b>A09</b>	<b>Other gastroenteritis and colitis of infectious and unspecified origin</b>		
A09.0	Other and unspecified gastroenteritis and colitis of infectious origin	<u>Catarrh, enteric or intestinal diarrhoea:</u> <ul style="list-style-type: none"> <li>• acute bloody,</li> <li>• acute hemorrhagic,</li> <li>• acute watery,</li> <li>• dysenteric,</li> <li>• epidemic</li> </ul> <u>Infectious or septic:</u> <ul style="list-style-type: none"> <li>• colitis</li> <li>• Enteritis</li> <li>• gastroenteritis</li> </ul> <div style="margin-left: 150px;">} NOS haemorrhagic</div> <p>Infectious diarrhoea NOS</p>	
A09.9	Gastroenteritis and colitis of unspecified origin		
<b>B17</b>	<b>Other acute viral hepatitis</b>		
B17.9	Acute viral hepatitis, unspecified	Acute hepatitis NOS	
<b>B98</b>	<b>Other specified infectious agents as the cause of diseases classified to other chapters</b>	Note: These categories (B95 – B98) should never be used in primary coding. They are provided as supplementary or additional codes when it is desired to identify the infectious agent(s) in diseases classified elsewhere.	
B98.0	Helicobacter pylori [H.pylori] as the cause of diseases classified to other chapters		
B98.1	Vibrio vulnificus as the cause of diseases classified to other chapters		
<b>C79</b>	<b>Secondary malignant neoplasm of other</b>		

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
	<b>and unspecified sites</b>		
C79.9	<ul style="list-style-type: none"> <li>Secondary malignant neoplasm, unspecified site</li> </ul>	Disseminated (secondary): <ul style="list-style-type: none"> <li>Cancer NOS</li> <li>Malignancy NOS</li> </ul> Generalised (secondary): <ul style="list-style-type: none"> <li>Cancer NOS</li> <li>Malignancy NOS</li> </ul> Multiple secondary cancer NOS Sarcomatosis (secondary) NOS	
<b>C80</b>	<b>Malignant neoplasm without specification of site</b>		
C80.0	Malignant neoplasm, primary site unknown, so stated		
C80.9	Malignant neoplasm, primary site unspecified	<ul style="list-style-type: none"> <li>Cancer NOS</li> <li>Carcinoma NOS</li> <li>Malignancy NOS</li> <li>Malignant cachexia NOS</li> <li>Multiple cancer NOS</li> </ul>	<ul style="list-style-type: none"> <li>Multiple secondary cancer NOS (C79.9)</li> <li>Secondary malignant neoplasm, unspecified site (C79.9)</li> </ul>
<b>C81</b>	<b>Hodgkin lymphoma</b>		
C81.4	Lymphocyte-rich (classical) Hodgkin lymphoma.		<ul style="list-style-type: none"> <li>Nodular lymphocyte predominant Hodgkin lymphoma (C81.0)</li> </ul>
<b>C82</b>	<b>Follicular lymphoma</b>	Follicular lymphoma with or without diffuse areas	
C82.3	Follicular lymphoma grade IIIa		
C82.4	Follicular lymphoma grade IIIb		
C82.5	Diffuse follicle centre lymphoma		
C82.6	Cutaneous follicle centre lymphoma		
<b>C84</b>	<b>Mature T/NK-cell lymphomas</b>		
C84.6	Anaplastic large cell lymphoma, ALK-positive	Anaplastic large cell lymphoma, CD30-positive	
C84.7	Anaplastic large cell lymphoma, ALK-negative		Primary cutaneous CD30-positive T-cell proliferations (C86.6)
C84.8	Cutaneous T-cell lymphoma, unspecified		

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
C84.9	Cutaneous T/NK-cell lymphoma, unspecified	T/NK cell lymphoma NOS	Mature T-cell lymphoma, not elsewhere classified (C84.4)
<b>C85</b>	<b>Other and unspecified types of non-Hodgkin lymphoma</b>		
C85.2	Mediastinal (thymic) large $\beta$ -cell lymphoma		
<b>C86</b>	<b>Other specified types of T/NK-cell lymphoma</b>		Anaplastic large cell lymphoma, ALK negative (C84.7) Anaplastic large cell lymphoma, ALK positive (C84.6)
C86.0	Extranodal NK/T-cell lymphoma, nasal type		
C86.1	Hepatosplenic T-cell lymphoma	Alpha-beta and gamma-delta types	
C86.2	Enteropathy-type (intestinal) T-cell Lymphoma	Enteropathy associated T-cell lymphoma	
C86.3	Subcutaneous panniculitis-like T-cell lymphoma		
C86.4	Blastic NK-cell lymphoma		
C86.5	Angioimmunoblastic T-cell lymphoma	Angioimmunoblastic lymphadenopathy with dysproteinaemia (AILD)	
C86.6	Primary cutaneous CD30-positive T-cell proliferation.	<ul style="list-style-type: none"> <li>Lymphomatoid papulosis</li> <li>Primary cutaneous Anaplastic large-cell lymphoma</li> <li>Primary cutaneous CD30+large T-cell lymphoma</li> </ul>	
<b>C88</b>	<b>Malignant immunoproliferative diseases</b>		
C88.4	Extranodal marginal zone $\beta$ -cell lymphoma of mucosa- associated with lymphoid tissue (MALT-lymphoma)	<p><b>Note:</b> Use additional code (C83.3) if desired, to specify transition to high malignant (diffuse large cell) lymphoma.</p> <ul style="list-style-type: none"> <li>Lymphoma of skin-associated lymphoid tissue (SALT-lymphoma)</li> <li>Lymphoma of bronchial-associated lymphoid tissue (BALT-lymphoma)</li> </ul>	
<b>C90</b>	<b>Multiple myeloma and malignant plasma cell neoplasms</b>		
C90.3	Solitary plasmacytoma	<ul style="list-style-type: none"> <li>Localised malignant plasma cell tumour NOS</li> <li>Plasmacytoma NOS</li> </ul>	

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
		<ul style="list-style-type: none"> <li>• Solitary myeloma</li> </ul>	
<b>C91</b>	<b>Lymphoid Leukaemia</b>		
C91.6	Prolymphocytic leukaemia of T-cell type		
C91.8	Mature $\beta$ -cell leukaemia Burkitt-type		<ul style="list-style-type: none"> <li>• Burkitt lymphoma with little or no bone marrow infiltration (C83.7)</li> </ul>
<b>C92</b>	<b>Myeloid Leukaemia</b>	Includes: Leukaemia <ul style="list-style-type: none"> <li>• Granulocytic</li> <li>• myelogenous</li> </ul>	
C92.6	Acute myeloid leukaemia with 11q23-abnormality	Acute myeloid leukaemia with variation of MLL-gene	
C92.8	Acute myeloid leukaemia with multilineage dysplasia	<b>Note:</b> Acute myeloid leukaemia with dysplasia of remaining haematopoiesis and/or myelodysplastic disease in its history	
<b>C93</b>	<b>Monocytic leukaemia</b>	Monocytoid leukaemia	
C93.3	Juvenile Myelomonocytic leukaemia		
<b>C94</b>	<b>Acute Erythroid leukaemia</b>		Excludes: <ul style="list-style-type: none"> <li>• Leukaemic reticuloendotheliosis (C91.4)</li> <li>• Plasma cell leukaemia (C90.1)</li> </ul>
C94.6	Myelodysplastic and myeloproliferative disease, not elsewhere classified		
<b>C96</b>	<b>Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue.</b>		
C96.4	Sarcoma of dendritic cells (accessory cells)	<ul style="list-style-type: none"> <li>• Interdigitating dendritic cell sarcoma.</li> <li>• Langerhans-cell sarcoma</li> <li>• Sarcoma of follicular dendritic cells</li> </ul>	
C96.5	Multifocal and unisystemic Langerhans-cell histiocytosis	<ul style="list-style-type: none"> <li>• Hand-Schüller-Christian disease</li> <li>• Histiocytosis X, multifocal</li> </ul>	
C96.6	Unifocal Langerhans-cell histiocytosis	<ul style="list-style-type: none"> <li>• Eosinophilic granuloma</li> <li>• Histiocytosis X NOS</li> <li>• Histiocytosis X, unifocal</li> <li>• Langerhans-cell histiocytosis NOS</li> </ul>	
C96.8	Histiocytic sarcoma	Malignant histiocytosis	
<b>D46</b>	<b>Myelodysplastic syndromes</b>	<ul style="list-style-type: none"> <li>• Alkylating agent related myelodysplastic</li> </ul>	<ul style="list-style-type: none"> <li>• Drug induced Aplastic anaemia (D61.1)</li> </ul>

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
		syndrome <ul style="list-style-type: none"> <li>• Epipodophyllotoxin related myelodysplastic syndrome</li> <li>• Therapy related myelodysplastic syndrome NOS</li> </ul>	
D46.5	Refractory anaemia with multi-lineage dysplasia		
D46.6	Myelodysplastic syndrome with isolated del(5q) chromosomal abnormality	5 q-minus syndrome	
<b>D47</b>	<b>Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue</b>		
D47.4	Osteomyelofibrosis	<ul style="list-style-type: none"> <li>• Chronic idiopathic myelofibrosis</li> <li>• Myelofibrosis (idiopathic) (with myeloid metaplasia)</li> <li>• Myelosclerosis (megakaryocytic) with myeloid metaplasia</li> <li>• Secondary myelofibrosis in myeloproliferative disease</li> </ul>	Acute myelofibrosis
D47.5	Chronic Eosinophilic leukaemia [hypereosinophilic syndrome]		
<b>D68</b>	<b>Other coagulation defects</b>		Those complicating: <ul style="list-style-type: none"> <li>• Abortion or ectopic or molar pregnancy (O00-O07, O08.1)</li> <li>• Pregnancy, childbirth and puerperium (O45.0, O46.0, O67.0, O72.3)</li> </ul>
D68.5	Primary Thrombophilia	<u>Activated protein C resistance [factor V Leiden mutation] deficiency:</u> <ul style="list-style-type: none"> <li>• Antithrombin</li> <li>• Protein C</li> <li>• Protein S</li> </ul> <u>Prothrombin gene mutation</u>	
D68.6	Other Thrombophilia	<ul style="list-style-type: none"> <li>• Anticardiolipin syndrome,</li> <li>• Antiphospholipid syndrome,</li> <li>• Presence of the lupus anticoagulant</li> </ul>	<ul style="list-style-type: none"> <li>• Disseminated intravascular coagulation (D65)</li> <li>• Hyperhomocysteinemia (E72.1)</li> </ul>

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
<b>D89</b>	<b>Other disorders involving the immune mechanism, not elsewhere classified</b>		<ul style="list-style-type: none"> <li>• Hyperglobulinaemia NOS (R77.1)</li> <li>• Monoclonal gammopathy of <u>undetermined significance (MGUS) (D47.2)</u></li> </ul>
D89.3	Immune reconstitution syndrome	Use additional external cause code (Chapter XX), if desired, to identify drug. Immune reconstitution inflammatory syndrome [IRIS]	
<b>E88</b>	<b>Other metabolic disorders</b>	Use additional external cause code (Chapter XX), if desired, to identify drug, if drug induced	<ul style="list-style-type: none"> <li>• Histiocytosis X (chronic) (C96.6)</li> </ul>
E88.3	Tumour lysis syndrome	Tumour lysis (following antineoplastic drug therapy) (spontaneous)	
<b>G14</b>	<b>Postpolio syndrome</b>	Postpolio myelitic syndrome	<ul style="list-style-type: none"> <li>• Sequelae of poliomyelitis (B91)</li> </ul>
<b>G21</b>	<b>Secondary Parkinsonism</b>		
G21.4	Vascular parkinsonism		
<b>H54</b>	<b>Blindness and low vision</b>	<b>Note:</b> For definition of visual impairment categories see table below (Next page)	<ul style="list-style-type: none"> <li>• Amaurosis fugax (G45.3)</li> </ul>

Revision of Categories of Visual Impairment Presenting distance visual acuity		
Category	Worse than	Equal to or better than
Mild or no visual impairment 0		6/18
		3/10 (0.3)
		20/70
Moderate visual impairment 1	6/18	6/60
	3/10	1/10 (0,1)
	20/70	20/200
Severe visual impairment 2	6/60	3/60
	1/10 (0.1)	1/20 (0.05)
	20/200	20/400
Blindness 3	3/60	1/60*
	1/20 (0.05)	1/50 (0.02)
	20/400	5/300 (20/1200)
Blindness 4	1/60*	Light Perception
	1/50	
	5/300 (20/1200)	
Blindness 5 9	No Light Perception	
	Undetermined or unspecified	
	* Or counts fingers (CF) at 1 metre	

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
<b>I48</b>	<b>Atrial fibrillation and flutter</b>		
I48.0	Paroxysmal atrial fibrillation		
I48.1	Persistent atrial fibrillation		
I48.2	Chronic atrial fibrillation		
I48.3	Typical atrial flutter	Type I atrial flutter	
I48.4	Atypical atrial flutter	Type II atrial flutter	
I48.9	Atrial fibrillation and atrial flutter, unspecified		
<b>I70</b>	<b>Atherosclerosis</b>	<ul style="list-style-type: none"> <li>• arteriolosclerosis</li> <li>• arteriosclerosis</li> <li>• arteriosclerotic vascular disease</li> <li>• atheroma</li> <li>• degeneration: <ul style="list-style-type: none"> <li>▪ arterial</li> <li>▪ arteriovascular</li> <li>▪ vascular</li> </ul> </li> <li>• endarteritis deformans or obliterans senile: <ul style="list-style-type: none"> <li>▪ arteritis</li> <li>▪ endarteritis</li> </ul> </li> </ul> <p>The following supplementary classification to indicate the presence or absence of gangrene is provided for optional use with appropriate subcategories in I70.-:</p> <ul style="list-style-type: none"> <li>• <b>0 without gangrene</b></li> <li>• <b>1 with gangrene</b></li> </ul>	<ul style="list-style-type: none"> <li>• cerebral (I67.2)</li> <li>• coronary (I25.1)</li> <li>• mesenteric (K55.1)</li> <li>• pulmonary (I27.0)</li> </ul>
I70.00	Atherosclerosis of aorta without gangrene		
I70.01	Atherosclerosis of aorta with gangrene		
I70.10	Atherosclerosis of renal artery without gangrene		
I70.11	Atherosclerosis of renal artery with gangrene		
I70.20	Atherosclerosis of arteries of extremities without gangrene		
I70.21	Atherosclerosis of arteries of extremities with gangrene		

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
I70.80	Atherosclerosis of other arteries without gangrene		
I70.81	Atherosclerosis of other arteries with gangrene		
I70.90	Generalized and unspecified atherosclerosis without gangrene		
I70.91	Generalized and unspecified atherosclerosis with gangrene		
<b>I72</b>	<b>Other aneurysm and dissection</b>	<ul style="list-style-type: none"> <li>aneurysm (cirroid) (false) (ruptured)</li> </ul>	Aneurysm of: <ul style="list-style-type: none"> <li>aorta (<b>I71.-</b>)</li> <li>arteriovenous NOS (<b>Q27.3</b>)</li> <li>acquired (<b>I77.0</b>)</li> <li>cerebral (nonruptured) (<b>I67.1</b>)</li> <li>ruptured (<b>I60.-</b>)</li> <li>coronary (<b>I25.4</b>)</li> <li>heart (<b>I25.3</b>)</li> <li>pulmonary artery (<b>I28.1</b>)</li> <li>retinal (<b>H35.0</b>)</li> <li>varicose (<b>I77.0</b>)</li> <li>dissection of precerebral artery, - congenital (nonruptured) (<b>Q28.1</b>)</li> </ul>
I72.5	Aneurysm and dissection of other precerebral arteries	Aneurysm and dissection of basilar artery (trunk)	Aneurysm and dissection of: <ul style="list-style-type: none"> <li>carotid artery (I72.0)</li> <li>vertebral artery (I72.6)</li> </ul>
I72.6	Aneurysm and dissection of vertebral artery		
<b>I98</b>	<b>Other disorders of circulatory system in diseases classified elsewhere</b>		Disorders classified to other asterisk categories within this chapter.
I98.3*	Oesophageal varices with bleeding in diseases classified elsewhere	Oesophageal varices in: <ul style="list-style-type: none"> <li>liver disorders (K70 – K71†)</li> <li>K74.- †</li> <li>Schistosomiasis (B65.- †)</li> </ul>	
<b>J12</b>	<b>Viral Pneumonia, not elsewhere classified</b>	Bronchopneumonia due to viruses other than influenza viruses	<ul style="list-style-type: none"> <li>congenital rubella pneumonitis (P35.0)</li> <li>pneumonia:               <ul style="list-style-type: none"> <li>aspiration (due to):</li> </ul> </li> </ul>

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
			<ul style="list-style-type: none"> <li>○ NOS (J69.0)</li> <li>○ anaesthesia during: <ul style="list-style-type: none"> <li>✓ labour and delivery (O74.0)</li> <li>✓ pregnancy (O29.0)</li> <li>✓ puerperium (O89.0)</li> </ul> </li> <li>○ neonatal (P24.9)</li> <li>○ solids and liquids (J69.-)</li> <li>• congenital (P23.0)</li> <li>• in influenza (J09, J10.0, J11.0)</li> <li>• interstitial NOS (J84.9)</li> <li>• lipid (J69.1)</li> <li>• severe acute respiratory syndrome [SARS] (U04.9)</li> </ul>
J12.3	Human metapneumovirus pneumonia		
<b>J21</b>	<b>Acute bronchiolitis</b>		
J21.1	Acute bronchiolitis due to human metapneumovirus		
<b>J96</b>	<b>Respiratory failure, not elsewhere classified</b>	<p>The following supplementary sub-classification is provided for optional use with category J96:</p> <ul style="list-style-type: none"> <li>• 0 Type I [hypoxic]</li> <li>• 1 Type II [hypercapnic]</li> <li>• 9 Type unspecified</li> </ul>	<ul style="list-style-type: none"> <li>• cardiorespiratory failure (R09.2)</li> <li>• postprocedural respiratory failure(J95.-)</li> <li>• respiratory: <ul style="list-style-type: none"> <li>▪ arrest (R09.2)</li> <li>▪ distress: <ul style="list-style-type: none"> <li>○ syndrome of adult (J80)</li> <li>○ in newborn (P22.-)</li> </ul> </li> </ul> </li> </ul>
J96.00	Acute respiratory failure, Type I [hypoxic]		
J96.01	Acute respiratory failure, Type II [hypercapnic]		
J96.09	Acute respiratory failure, Type unspecified		
J96.10	Chronic respiratory failure, Type I [hypoxic]		
J96.11	Chronic respiratory failure, Type II [hypercapnic]		
J96.19	Chronic respiratory failure, Type unspecified		
J96.90	Respiratory failure, unspecified, Type I [hypoxic]		
J96.91	Respiratory failure, unspecified, Type II		

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
	[hypercapnic]		
J96.99	Respiratory failure, unspecified, Type unspecified		
<b>K02</b>	<b>Dental caries</b>		
K02.5	Caries with pulp exposure		
<b>K12</b>	<b>Stomatitis and related lesions</b>		
K12.3	Oral mucositis (ulcerative)  Oral mucositis (ulcerative) continued	<ul style="list-style-type: none"> <li>Mucositis(oral)(oropharyngeal): <ul style="list-style-type: none"> <li>NOS</li> <li>Drug induced</li> <li>Radiation induced</li> <li>Viral</li> </ul> </li> </ul> <p>Use an additional external cause code (Chapter XX), if desired to identify external agent</p>	<ul style="list-style-type: none"> <li>Mucositis (ulcerative) of: <ul style="list-style-type: none"> <li>Nose and nasal sinuses (J34.8)</li> <li>Vagina and vulva (N76.8)</li> <li>Gastrointestinal tract (except oral cavity and oropharynx) (K92.8)</li> </ul> </li> </ul>
<b>K35</b>	<b>Acute appendicitis</b>		
K35.2	Acute appendicitis with generalized peritonitis	Appendicitis (acute) with generalised (diffuse) peritonitis following rupture or perforation	
K35.3	Acute appendicitis with localised peritonitis	<ul style="list-style-type: none"> <li>Acute appendicitis (with or without perforation or rupture) with peritonitis NOS localised.</li> <li>Acute appendicitis with peritoneal abscess</li> </ul>	
K35.8	Acute appendicitis, other and unspecified	Acute appendicitis without mention of localised or generalised peritonitis	
<b>K43</b>	<b>Incisional hernia</b>		
K43.2	Incisional hernia without obstruction or gangrene	Incisional hernia NOS	
K43.3	Parastomal hernia with obstruction, without gangrene	Parastomal hernia: <ul style="list-style-type: none"> <li>causing obstruction},</li> <li>incarcerated,</li> <li>irreducible ,</li> <li>strangulated</li> </ul> } without gangrene	
K43.4	Parastomal hernia with gangrene	Gangrenous parastomal hernia	
K43.5	Parastomal hernia without obstruction or gangrene	Parastomal hernia NOS	
K43.6	Other and unspecified ventral hernia with	Hernia:	

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
	obstruction, without gangrene	<ul style="list-style-type: none"> <li>• epigastric</li> <li>• hypogastric</li> <li>• midline</li> <li>• spigelian</li> <li>• subxiphoid</li> </ul> Any condition listed under K43.6 <ul style="list-style-type: none"> <li>• causing obstruction</li> <li>• incarcerated</li> <li>• irreducible</li> <li>• strangulated</li> </ul> without gangrene	
K43.7	Other and unspecified ventral hernia with gangrene	Any condition listed under K43.6 specified as gangrenous	
<b>K52</b>	<b>Other non-infective gastroenteritis and colitis</b>		
K52.3	Indeterminate colitis		
<b>K64</b>	<b>Haemorrhoids and perianal venous thrombosis</b>	Piles	Complicating: <ul style="list-style-type: none"> <li>• childbirth and the puerperium (O87.2)</li> <li>• pregnancy (O22.4)</li> </ul>
K64.0	First degree haemorrhoids	<b>grade/stage 1 haemorrhoids:</b> <ul style="list-style-type: none"> <li>• Haemorrhoids(bleeding) without prolapse outside of anal canal</li> </ul>	
K64.1	Second degree haemorrhoids	<b>grade/stage 2 haemorrhoids:</b> <ul style="list-style-type: none"> <li>• Haemorrhoids(bleeding) that prolapse with straining but retract spontaneously</li> </ul>	
K64.2	Third degree haemorrhoids	<b>grade/stage 3 haemorrhoids:</b> <ul style="list-style-type: none"> <li>• Haemorrhoids(bleeding) that prolapse with straining and require manual replacement back inside anal canal</li> </ul>	
K64.3	Fourth degree haemorrhoids	<b>grade/stage 4 haemorrhoids:</b> <ul style="list-style-type: none"> <li>• Haemorrhoids (bleeding) with prolapsed tissue that cannot be manually replaced</li> </ul>	
K64.4	Residual haemorrhoidal skin tags	skin tags of anus	
K64.5	Perianal venous thrombosis	Perianal haematoma	
K64.8	Other specified haemorrhoids		

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
K64.9	Haemorrhoids, unspecified	<b>Haemorrhoids(bleeding):</b> <ul style="list-style-type: none"> <li>NOS; without mention of degree</li> </ul>	
<b>L89</b>	<b>Decubitus ulcer and pressure area</b>	Bedsore Plaster ulcer Note: For multiple sites of differing stages assign only one code indicating the highest stage.	decubitus (trophic) ulcer of cervix (uteri) (N86)
L89.0	Stage I decubitus ulcer and pressure area	Decubitus [pressure] ulcer limited to erythema only. <b>Note:</b> The ulcer appears as a defined area of persistent redness (erythema) in lightly pigmented skin, whereas in darker skin tones, the ulcer may appear with persistent red, blue or purple hues, without skin loss	
L89.1	Stage II decubitus ulcer	Decubitus [pressure] ulcer with: <ul style="list-style-type: none"> <li>Abrasion</li> <li>Blister</li> <li>Partial thickness loss involving epidermis and/or dermis</li> <li>Skin loss NOS</li> </ul>	
L89.2	Stage III decubitus ulcer	Decubitus [pressure] ulcer with: <ul style="list-style-type: none"> <li>Full thickness skin loss involving damage/</li> <li>Necrosis of subcutaneous tissue extending to underlying fascia</li> </ul>	
L89.3	Stage IV decubitus ulcer	Decubitus [pressure] ulcer with: <ul style="list-style-type: none"> <li>Necrosis of muscle, bone or supporting structures (i.e. tendon or joint capsule)</li> </ul>	
L89.9	Decubitus ulcer and pressure area, unspecified	Decubitus [pressure] ulcer without mention of stage.	
<b>N18</b>	<b>Chronic kidney disease</b>	<ul style="list-style-type: none"> <li>Use an additional code if desired to identify underlying disease</li> <li>Use additional code if desired to identify presence of hypertension</li> </ul>	
N18.1	Chronic kidney disease, stage 1	<ul style="list-style-type: none"> <li>Kidney damage with normal or increased GFR (<math>\geq 90</math> mL/min)</li> </ul>	
N18.2	Chronic kidney disease, stage 2	<ul style="list-style-type: none"> <li>Kidney damage with mild decreased GFR</li> </ul>	

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
		(60-89 mL/min)	
N18.3	Chronic kidney disease, stage 3	<ul style="list-style-type: none"> <li>Kidney damage with moderately decreased GFR (30-59 mL/min)</li> </ul>	
N18.4	Chronic kidney disease, stage 4	<ul style="list-style-type: none"> <li>Kidney damage with severely decreased GFR (15-29 mL/min)</li> </ul>	
N18.5	Chronic kidney disease, stage 5	<u>Chronic uraemia,</u> <u>End stage kidney disease:</u> <ul style="list-style-type: none"> <li>In allograft failure</li> <li>NOS</li> <li>On dialysis</li> <li>Without dialysis or transplant</li> </ul> <u>Renal retinitis † (H38.2*)</u> <u>Uraemic:</u> <ul style="list-style-type: none"> <li>Apoplexia † (I68.*)</li> <li>Dementia † (F02.8*)</li> <li>Neuropathy † (G63.8*)</li> <li>Paralysis † (G99.8*)</li> <li>pericarditis† (I32.8*)</li> </ul>	
<b>N42</b>	<b>Other disorders of prostate</b>		
N42.3	Dysplasia of prostate	<ul style="list-style-type: none"> <li>Low grade dysplasia</li> </ul>	<ul style="list-style-type: none"> <li>High grade dysplasia of prostate (D07.5)</li> </ul>
<b>O14</b>	<b>Pre-eclampsia</b>		<ul style="list-style-type: none"> <li>Superimposed pre-eclampsia (O11)</li> </ul>
O14.2	HELLP syndrome	Combination of: <ul style="list-style-type: none"> <li>Haemolysis</li> <li>Elevated liver enzymes and</li> <li>Low platelet count</li> </ul>	
<b>O43</b>	<b>Placental disorders</b>		<ul style="list-style-type: none"> <li>Maternal care for               <ul style="list-style-type: none"> <li>poor foetal growth due to placental insufficiency (O36.5)</li> <li>placenta praevia (O44.-)</li> <li>premature separation of placenta [abruptio placenta] (O45.-)</li> </ul> </li> </ul>
O43.2	Morbidly adherent placenta	Placenta: <ul style="list-style-type: none"> <li>accrete</li> </ul>	

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
		<ul style="list-style-type: none"> <li>• increta</li> <li>• percreta</li> </ul> Use additional code, if desired, to identify any: <ul style="list-style-type: none"> <li>• postpartum haemorrhage, third stage O72.0</li> <li>• retained placenta without haemorrhage O73.0</li> </ul>	
<b>O60</b>	<b>Preterm labour</b>	Onset (spontaneous) of labour before 37 completed weeks of gestation	
O60.3	Preterm delivery without spontaneous labour	Preterm delivery by: <ul style="list-style-type: none"> <li>• caesarean section without spontaneous labour</li> <li>• induction</li> </ul>	
<b>O96</b>	<b>Death from any obstetric cause occurring more than 42 days but less than one year after delivery</b>	Use additional code, if desired, to identify the obstetric cause (direct or indirect) of death.	
O96.0	Death from direct obstetric cause		
O96.1	Death from indirect obstetric cause		
O96.9	Death from unspecified obstetric cause		
<b>O97</b>	<b>Death from sequelae of obstetric causes</b>	Death from any obstetric cause (direct or indirect) occurring one year or more after delivery. Use additional code, if desired to identify the obstetric cause (direct or indirect).	
O97.0	Death from sequelae of direct obstetric cause		
O97.1	Death from sequelae of indirect obstetric cause		
O97.9	Death from sequelae of obstetric cause, unspecified		
<b>O98</b>	<b>Maternal infections and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium</b>	The listed conditions when: <ul style="list-style-type: none"> <li>• complicating the pregnant state,</li> <li>• when aggravated by the pregnancy, or</li> <li>• as a reason for obstetric care</li> </ul> Use additional code (Chapter 1) if desired, to identify specific condition.	Excludes: <ul style="list-style-type: none"> <li>• Asymptomatic human immunodeficiency virus [HIV] infection status (Z21)</li> <li>• Laboratory evidence of human immunodeficiency virus [HIV] (R75)</li> <li>• Obstetrical tetanus (A34)</li> </ul>

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
			<ul style="list-style-type: none"> <li>• Puerperal: <ul style="list-style-type: none"> <li>▪ Infection (O86.-)</li> <li>▪ Sepsis (O85)</li> </ul> </li> <li>• When the reason for maternal care is that the disease is known or suspected to have affected the foetus. (O35 – O36)</li> </ul>
O98.7	Human immunodeficiency virus [HIV] complicating pregnancy, childbirth and the puerperius	Conditions in B20 – B24.	
<b>R26</b>	<b>Abnormalities of gait and mobility</b>		Ataxia: <ul style="list-style-type: none"> <li>• NOS (R27.0)</li> <li>• Hereditary (G11.-)</li> <li>• Locomotor (syphilitic) (A52.1)</li> </ul> Immobility syndrome (paraplegic) (M62.3)
R26.3	Immobility	Bedfast / chairfast	
<b>R57</b>	<b>Shock, not elsewhere classified</b>		Shock due to: <ul style="list-style-type: none"> <li>• Anaesthesia (T88.2)</li> <li>• Anaphylactic (due to): <ul style="list-style-type: none"> <li>▪ NOS (T78.2)</li> <li>▪ Adverse food reaction (T78.0)</li> <li>▪ Serum (T80.5)</li> </ul> </li> <li>• Complicating or following abortion or ectopic or molar pregnancy (O00 – O007, O08.3)</li> <li>• Electric (T75.4)</li> <li>• Lightning (T75.0)</li> <li>• Obstetric (O75.1)</li> <li>• Postoperative (T81.1)</li> <li>• Psychic (F43.0)</li> <li>• Traumatic (T79.4)</li> </ul> Toxic shock syndrome
R57.2	Septic shock	This code can be used in addition to: <ul style="list-style-type: none"> <li>• A40.-;</li> <li>• A41.0 - A41.8;</li> </ul>	

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
		<ul style="list-style-type: none"> <li>• O08.0;</li> <li>• T80.2;</li> <li>• T81.1 to identify septic shock</li> </ul>	
<b>R63</b>	<b>Symptoms and signs concerning food and fluid intake.</b>		
R63.6	Insufficient intake of food and water due to self neglect		<ul style="list-style-type: none"> <li>• starvation due to anorexia (R63.0)</li> <li>• starvation due to privation of food (X53)</li> <li>• thirst due to privation of water (X54)</li> <li>• self neglect NOS (R46.8)</li> </ul>
<b>R65</b>	<b>Systemic Inflammatory Response Syndrome</b>	<p><b>Note:</b></p> <ul style="list-style-type: none"> <li>• This category (R65.-) should never be used in primary coding.</li> <li>• The category is for use in multiple coding to identify this condition resulting from any cause.</li> <li>• A code from another chapter should be assigned first to indicate the cause or underlying disease.</li> </ul>	
R65.0	Systemic Inflammatory Response Syndrome of infectious origin without organ failure		
R65.1	Systemic Inflammatory Response Syndrome of infectious origin with organ failure	Severe sepsis	
R65.2	Systemic Inflammatory Response Syndrome of non-infectious origin without organ failure		
R65.3	Systemic Inflammatory Response Syndrome of non-infectious origin with organ failure		
R65.9	Systemic Inflammatory Response Syndrome, unspecified		
<b>R95</b>	<b>Sudden infant death syndrome</b>		
R95.0	Sudden infant death syndrome with mention of autopsy		
R95.9	Sudden infant death syndrome without mention of autopsy		

<b>U06</b>	<b>Emergency use of U06</b>	<ul style="list-style-type: none"> <li>Codes U00-U49 are to be used by WHO for the provisional assignment of new diseases of uncertain aetiology.</li> <li>In emergency situations codes are not always accessible in electronic systems.</li> <li>The specification of category U06 in the way it is done here will make sure this category and the subcategories are available in every electronic system at any time and that they can be used upon instruction by WHO, immediately.</li> </ul>	
U06.0	Emergency use of U06.0		
U06.1	Emergency use of U06.1		
U06.2	Emergency use of U06.2		
U06.3	Emergency use of U06.3		
U06.4	Emergency use of U06.4		
U06.5	Emergency use of U06.5		
U06.6	Emergency use of U06.6		
U06.7	Emergency use of U06.7		
U06.8	Emergency use of U06.8		
U06.9	Emergency use of U06.9		
<b>U07</b>	<b>Emergency use of U07</b>		
U07.0	Emergency use of U07		
U07.1	Emergency use of U07		
U07.2	Emergency use of U07		
U07.3	Emergency use of U07		
U07.4	Emergency use of U07		
U07.5	Emergency use of U07		
U07.6	Emergency use of U07		
U07.7	Emergency use of U07		
U07.8	Emergency use of U07		
U07.9	Emergency use of U07		
<b>U60</b>	<b>Drug resistant HIV</b>		
U60.0	Resistance to Nucleoside/Nucleotide Reverse Transcriptase Inhibitors (NRTIs)		
U60.1	Resistance to Non-Nucleoside Reverse Transcriptase Inhibitors (NNRTIs)		

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
U60.2	Resistance to Protease Inhibitors		
U60.3	Resistance to Nucleoside/Nucleotide Reverse Transcriptase Inhibitors (NRTIs) and Non-Nucleoside Reverse Transcriptase Inhibitors (NNRTIs)		
U60.4	Resistance to Nucleoside/Nucleotide Reverse Transcriptase Inhibitors (NRTIs) and Protease Inhibitors (PIs)		
U60.5	Resistance to Non-Nucleoside Reverse Transcriptase Inhibitors (NNRTIs) and Protease Inhibitors (PIs)		
U60.6	Resistance to Nucleoside/Nucleotide Reverse Transcriptase Inhibitors (NRTIs), Non-Nucleoside Reverse Transcriptase Inhibitors (NNRTIs) and Protease Inhibitors (PIs) (Extensively resistant to most registered antiretrovirals)		
U60.7	Resistance to HIV entry inhibitors, alone or in combination		
U60.8	Resistance to Integrase inhibitors, alone or in combination or Other specified		
U60.9	Resistance to antiretrovirals, unspecified		
<b>U82-U85</b>	<b>Resistance to antimicrobial and antineoplastic drugs</b>	<b>Note:</b> These categories should never be used in primary coding. The codes are provided for use as supplementary or additional codes when it is desired to identify the resistance, non-responsiveness and refractive properties of a condition to antimicrobials and antineoplastic drugs.	
<b>U82</b>	<b>Resistance to betalactam antibiotics</b>	Use additional code (B95-B98), if desired, to identify agents resistant to betalactam antibiotic treatment.	
U82.0	Resistance to penicillin	<b>Resistance to:</b> Amoxicillin, Ampicillin	
U82.1	Resistance to methicillin	<b>Resistance to:</b> cloxacillin, flucloxacillin, oxacillin	

ICD-10 CODE	DESCRIPTION	INCLUSION NOTES	EXCLUSION NOTES
U82.2	Extended spectrum betalactamase (ESBL) resistance		
U82.8	Resistance to other betalactam antibiotics		
U82.9	Resistance to betalactam antibiotics, unspecified		
<b>U83</b>	<b>Resistance to other antibiotics</b>	Use additional code (B95-B98), if desired, to identify agents resistant to other antibiotic treatment.	
U83.0	Resistance to vancomycin		
U83.1	Resistance to other vancomycin related antibiotics		
U83.2	Resistance to quinolones		
U83.7	Resistance to multiple antibiotics		
U83.8	Resistance to other single specified antibiotic		
U83.9	Resistance to unspecified antibiotic		
<b>U84</b>	<b>Resistance to other antimicrobial drugs</b>	Use additional code (B95-B98), if desired, to identify agents resistant to antimicrobial drugs.	Resistance to antibiotics (U82 - U83)
U84.0	Resistance to antiparasitic drug(s)	Resistance to quinine and related compounds:	
U84.1	Resistance to antifungal drug(s)		
U84.2	Resistance to antiviral drug(s)		
U84.3	Resistance to tuberculostatic drug(s)		
U84.7	Resistance to multiple antimicrobial drugs		Resistance to multiple antibiotics only (U83.7)
U84.8	Resistance to unspecified antimicrobial drugs		
U84.9	Resistance to unspecified antimicrobial drugs		
<b>U85</b>	<b>Resistance to antineoplastic drugs</b>	Non-responsiveness to: <ul style="list-style-type: none"> <li>• antineoplastic drugs,</li> <li>• Refractory cancer</li> </ul>	
<b>Z00</b>	<b>General examination and investigation of persons without complaint and reported diagnosis</b>		